



SPEAKER ADAPTERS*

PACLR1/PACLR2 Left/Right Speaker Adapters

- Fully assembled
- Low profile
- Expandable (PACLR1 30 - 50" TVs, PACLR2 60 - 65" TVs)
- Compatible with 200 mm x 200 mm and 14" x 14" Q-Latch patterns



PACCCS1 Component Shelf

- Compatible with 200 mm x 200 mm and 14" x 14" Q-Latch patterns
- Perfect for Chief swing arms and ceiling mounts
- Can also be used as a speaker shelf
- vertical and extension adjustments to fit most component and screen combinations



PACCC1/PACCC2 Center Channel Speaker Adapter

- Fully assembled
- Low profile
- Expandable (PACLR1 30 - 50" TVs, PACLR2 60 - 65" TVs)
- Compatible with 200 mm x 200 mm and 14" x 14" Q-Latch patterns



MEDIA ADAPTERS*

PAC260/PAC261 Digital Media Player Mount

- Mounting options: wall, pole and direct-to-display (100 x 100 VESA®)
- PAC261 configurations include power brick mount
- Compatible with media devices up to (HxWxD) 10" x 10" x 4" (254 x 254 x 355 mm)
- Weight capacity: 30 lbs (13.6 kg)



MAC251 CPU/DVD/VCR Universal Adapter

- Adapts to Chief's 200 mm x 200 mm Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (WxD) 13.75 x 3.88" (349 x 99 mm)



PAC251 CPU/DVD/VCR

Universal Adapter

- Adapts to 14" (356 mm) Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (HxWxD) 17.63 x 15.5 x 3.5" (448 x 394 x 89 mm)



MAC252 CPU Universal Adapter

- Adapts to Chief's 200 mm x 200 mm Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (HxWxD) 10 x 9.5 x 2" (254 x 241 x 51 mm)



PAC252 CPU Universal Adapter

- Adapts to Chief's 14" (356 mm) Q-Latch pattern
- Allows easy access to drives and input/output connections
- Compatible with media devices up to: (HxWxD) 16 x 14.5 x 4.5" (406 x 368 x 114 mm)



MWC Medium Tilt Mount with Media Player Storage

- Complete solution designed to easily integrate a media player into a TV or display installation
- Lockable tilt at 0°, 5°, 10°, 15°
- 200 mm x 200 mm Q-Latch installation
- Compatible with media devices up to: (WxD) 18.81 x 3.81" (478 x 97 mm)



PWC Large Tilt Mount with Media Player Storage

- Complete solution designed to easily integrate a media player into a TV or display installation
- Lockable tilt at 0°, 5°, 10°, 15°
- 14" (356 mm) Q-Latch installation
- Compatible with media devices up to: (WxD) 18.81 x 3.81" (478 x 97 mm)



* Also see FUSION® accessories (page 96 - 97) and Cart and Stand accessories (pages 98 - 100)



PRE-INSTALLATION POWER BOXES

PAC511 Retro-Fit In-Wall Box

- Retro-fit installation design
- Installs between 16" centers
- Capacity for up to four metal single gang junction boxes and conduit, surge protectors and excess cable



PAC516 Pre-Installation In-Wall Box

- New construction or retro-fit installation design
- Installs between 16" centers
- Capacity for up to four metal single gang junction boxes and conduit, surge protectors and excess cable



PAC522 Pre-Installation In-Wall Box

- New construction or retro-fit installation design
- Installs horizontally between 16" centers or vertically on a single stud
- Capacity for up to four metal single gang junction boxes and conduit, surge protectors and excess cable



LATERAL SHIFT ADAPTERS

PAC125 Lateral Shift

- All hardware included
- Provides additional lateral shift for fixed and tilt wall mounts
- Includes two 28" (711 mm) extrusions




PAC126 Lateral Shift

- Provides additional lateral shift for fixed and tilt wall mounts and spans three studs
- All hardware included
- Includes two 36" (914 mm) extrusions



ENS Lateral Shift Extrusion for Video Walls

- Custom length lateral shift extrusion up to 108" (274 cm)
- Great solution for horizontally tiled TV installations
- ENSHW Hardware Kit (order separately)



IN-WALL ACCESSORIES

PAC501 Large In-Wall Swing Arm Box

- Designed to integrate an in-wall swing arm for a flush installation
- Compatible with PNRIW, PWRIW, MWRIW



PACHFK1 Header/Footer Kit for PAC501

- Easily installs between three 16" center studs with center stud removed
- Reduces PAC501 installation time
- Provides a solid support structure, eliminating the need to frame around the PAC501 with 2x4 studs
- Provides clearance holes for the knockouts to simplify electrical wiring



MAC501 Medium In-Wall Swing Arm Box (shown with JWDIW)

- Designed to integrate an in-wall swing arm for a flush installation
- Installs between 16" center stud system
- Compatible with JWDIW



FAC501 Small In-Wall Swing Arm Box (shown with FWDIW)

- Designed to integrate an in-wall swing arm for a flush installation
- Installs between 16" center stud system
- Compatible with FWDIW





STEEL STUD ADAPTERS

MAC118 Medium Swing Arm Steel Stud Adapter

- Retro-fit installation design
- Installs on 16"/20"/24" centers
- Capacity for up to four single gang junction boxes and conduit, surge protectors and excess cables
- Provides room for outlet placement
- Compatible with JWS and JWD




MAC119 Large Swing Arm Steel Stud Adapter

- Compatible with MWR and PWR products
- Attaches directly to 16"/20"/24" center steel studs
- Includes all mounting hardware
- Low profile - only adds 0.13" (3 mm) to installation depth



PAC115/PAC116/PAC117 Fixed & Tilt Wall Mount Steel Stud/Drywall Anchor Kit

- Kit includes (4, 8, or 28) heavy-duty toggle anchors; quantity coincides with part number
- Drywall must be a minimum of 0.5" (13 mm)
- Max Load: 175 lbs (79.3 kg)



SPECIALTY ADAPTERS

PAC390 Cube System Adapter

- Compatible with medium and large fixed and tilt wall mounts.
- Quickly adapts office wall system with adjustable depth up to 3.81" (97 mm)
- Holds up to 175 lbs (79.3 kg)



PAC392B Universal Medium & Large Slat Wall Accessory

- Allows RMF1, RMT1, RLF1, and RLT1 universal fixed and tilt wall mounts to be installed on all slat wall or tool tile systems and is adaptable with the FIT fixed and tilt mounts (RMF2, RMT2, RLF2, RLT2, RXF2 and RXT2)
- Ships fully assembled
- Must order mount separately

PAC400/MAC400

90° Rotation Adapter

- Provides fingertip TV rotation from landscape to portrait mode
- PAC400 is compatible with Chief 14" x 14" Q-Latch pattern
- MAC400 is compatible with Chief 200 mm x 200 mm Q-Latch pattern
- Low profile - Only 1.06" (26.9 mm) added depth



PAC124 24" Stud Adapter

- Designed to adapt to MWH/MWR/PWR/PNR/PDR swing arms to allow for 24" (609 mm) center stud installation
- Kit includes 26" (660 mm) wall brackets and aesthetic covers



PACIW124B In-wall Swing Arm 20" and 24" Stud Accessory

- Allows the MIWRF and PIWRF to be installed on 20" and 24" center stud walls
- Includes covers



POWER MANAGEMENT ACCESSORIES

PACPC1 Power Filter Kit

- Complete kit for easy integration with: Wall Mounts, 1-1/2" NPT Extension Columns, Pre-Installation Boxes and In-Wall Swing Arm Boxes
- Noise filtering for a crystal clear signal
- Surge protection (1890 Joule Rating)
- Automatic shutoff for over voltage protection
- Includes two outlets and a 24" (609 mm) power cord



PX2W Power Outlet Conditioner

- Replaces the need for an outlet
- Provides AC cleaning without loss of power





POWER MANAGEMENT ACCESSORIES cont.

PAC521P Power-Infused Pre-install Box

- Replaces the need for an outlet
- Provides AC cleaning without loss of power
- Power conditioner is invisible and recessed into the in-wall box
- Provides an organized, recessed space for excess cables



ACCESSORY SHELVES*

PAC101 Shelf for Single Stud Wall Installations

- Dimensions (HxWxD): 2.18" x 14" x 10.4" (55 x 356 x 264 mm)
- Weight Capacity: 20 lbs (9.1 kg)
- All mounting hardware included



PAC102 Shelf for Pole Installations

- Dimensions (HxWxD): 2.18" x 14" x 10.4" (55 x 356 x 264 mm)
- Weight Capacity: 20 lbs (9.1 kg)
- All mounting hardware included for 1-1/2" NPT installation



PAC103 Equipment Safety Strap

- Compatible with PAC101, PAC102 and PACCS1 Shelves
- Adjustable strap provides added security for components



FUSION® ACCESSORIES

FLR100 FUSION Left/Right Speaker Adapter

- Compatible with any new FUSION fixed or tilt wall mount
- Infinitely adjustable to fit speakers flush with side of TV
- Adds zero depth to installation



FCC100 FUSION Center Channel Speaker Adapter

- Compatible with any new FUSION fixed or tilt Wall mount
- Infinitely adjustable to fit speakers flush with bottom of TV
- Adds zero depth to installation



FCA100 FUSION CAT5/Surge/CPU Adapter

- Holds CAT5 boxes, surge protectors / small CPUs or Chief's PACPC1 Power Filter behind any FUSION mount
- Adds zero depth to installation



FCA101 FUSION Lock-Down Collars

- Prevents FUSION poles and TV from sliding
- Includes 2 collars and hardware (two accessories required for complete lock-down)
- Adds additional level of security



FCA102 FUSION Secure CPU/Media Player Accessory

- Universal adapter fits CPUs up to 1.63" (41 mm) thick behind new FUSION mounts
- Recommended to be used with Large and XL FUSION mounts.
- Adds zero depth to installation



FCK000 FUSION 0" Connector Kit

- Connector kits that add zero length to poles
- Great for use with smaller screens and portrait menu boards



* Also see Carts and Stands accessories (pages 98 - 100)



FUSION® ACCESSORIES cont.

FCK008/FCK016

FUSION Connector Kits

- 8" or 16" (203 mm or 406 mm) connector kits to connect two FUSION mounts together for a multi-monitor installation
- FCK008 recommended when installing 37-42" screen on L-series FUSION fixed or tilt mounts, all other configurations should use FCK016
- Must be ordered when using FVS300 or FVS350 In Line Camera Shelves
- Adds zero depth to installation



FCS100

FUSION Component Shelf - Below

- Compatible with any new FUSION mount
- Shelf sits below TV to hold any AV component
- Adds zero depth to installation



FCD100 Additional FUSION Component Shelf - Below

- Extra shelf sits below an existing FUSION component or camera shelf or FCC100 center channel accessory
- Must order component or camera shelf or center channel accessory separately
- Adds zero depth to installation



FVS100/FVS150

FUSION Camera Shelf - Below

- 8" or 12" (203 mm or 305 mm) wide camera shelf
- Compatible with any new FUSION fixed or tilt wall mount
- Shelf sits below mount and is height adjustable to accommodate different camera sizes
- Adds zero depth to installation



FVS200/FVS250/FVS251

FUSION Camera Shelf - Above

- 8", 12" or 14" (203 mm, 305 mm or 356 mm) wide camera shelf
- Compatible with any new FUSION fixed or tilt wall mount
- Shelf sits above mount and is height adjustable for different screen sizes
- Adds zero depth to installation



FVS300/FVS350

FUSION Camera Shelf - In Line

- 8" or 12" (203 mm or 305 mm) wide camera shelf
- Compatible with any new FUSION fixed or tilt wall mount fixed or tilt wall mount
- Shelf sits between two mount
- Must order appropriate FCK connector kit accessory separately
- Adds zero depth to installation



THINSTALL® SWING ARM ACCESSORIES

TA100 THINSTALL

Component Shelf

- Compatible with Large and Medium THINSTALL Swing Arms
- Shelf sits above or below TV to hold any AV Component
- Height adjustable to accommodate different component and TV sizes
- Adds 0.13" (3 mm) of depth to installation



TA200/TA250 THINSTALL


Camera Shelves

- 8" or 12" (203 mm or 305 mm) wide shelf
- Compatible with Large and Medium THINSTALL Swing Arms
- Shelf sits above or below TV
- Height adjustable to accommodate different camera and TV sizes
- Adds 0.13" (3 mm) of depth to installation



TA300 THINSTALL Left/Right Speaker Adapter

- Compatible with Large and Medium THINSTALL Swing Arms
- Infinitely adjustable to fit speakers flush with side of TV
- Adds 0.13" (3 mm) of depth to installation





THINSTALL® SWING ARM ACCESSORIES cont.

TA350 THINSTALL Center Channel Speaker Adapter

- Compatible with Large and Medium THINSTALL Swing Arms
- Infinitely adjustable to fit speaker flush with bottom of TV
- Adds 0.13" (3 mm) of depth to installation



TA410 THINSTALL Portrait Adapter

- Compatible with Large and Medium Thinstall Swing Arms
- Allows non-200 x 200mm VESA screens to be mounted in portrait
- Adds 0.13" (3 mm) of depth to installation



TA501 THINSTALL Swing Arm In-Wall Box

- Designed to integrate a Thinstall Swing Arm for a flush installation
- Compatible with TS318TU Swing Arm
- Back of TV sits flush with wall



CART & STAND ACCESSORIES


MAC722 Dual Side-by-Side Accessory

- Adds support for 2 displays side-by-side to carts and floor stands
- Supports (2) 38" - 58" (96.5 - 147.3 cm) wide displays (must be same size)
- Weight Capacity: 125 lbs (56.7 kg) total



PAC722 Dual Side-by-Side Accessory

- Adds support for 2 displays side-by-side to carts and floor stands
- Supports (2) 38" - 58" (96.5 - 147.3 cm) wide displays (must be same size)
- Weight Capacity: 150 lbs (68 kg) total



MAC720 Dual Vertical Display Accessory

- Adds support for a second display to the lower extension column
- Weight Capacity: 125 lbs (56.7 kg)



PAC720 Dual Vertical Display Accessory

- Adds support for a second display to the lower extension column
- Weight Capacity: 200 lbs (90.7 kg)




MAC790 Display Swivel Adapter

- Adds swivel capability to carts and floor stands
- Tilt: ± 15°
- Swivel: ± 15°
- Weight Capacity: 125 lbs (56.7 kg)



PAC790 Display Swivel Adapter

- Adds swivel capability to carts and floor stands
- Tilt: ± 15°
- Swivel: ± 15°
- Weight Capacity: 200 lbs (90.7 kg)



PAC715/PAC716 Video Conference Camera Shelf - Above

- 9" or 14" (229 mm or 356 mm) wide camera shelf
- Supports a video conferencing camera above or below the display
- Front/Back Extension: 2.5" (64 mm)
- Vertical Extension: 6.75" (171 mm)
- Weight Capacity: 10 lbs (4.5 kg)





CART & STAND ACCESSORIES cont.

PAC710 Carts and Stands Accessory Shelf

- Supports Chief's line of TV floor stands and carts
- Quick installation and adjustments
- Weight Capacity: 25 lbs (11.34 kg)



PAS100 Smoked Acrylic Accessory Shelf

- Compatible with PPC Presenter's cart
- Dimensions: (WxD) 29.5 x 18" (749 x 457 mm)
- Weight Capacity: 35 lbs (15.88 kg)



PAC717 Literature Shelf

- Presents literature in upright position - great for rental / staging applications
- Max Literature Size: (HxWxD) 11" x 8.5" x 2" (279 x 216 x 51 mm)
- Weight Capacity: 25 lbs (11.3 kg)



PAC730A/B/C Secure Storage Shelf

- Perfect size for secure storage of DVD players, laptops, and other similar sized equipment
- Up to 3 units can be stacked vertically and bolted together
- Three keyed locking options (A/B/C)
- Max equipment size: (HxWxD) 3.5" x 17.5" x 12.0" (89 x 445 x 305 mm)
- Weight Capacity: 25 lbs (11.3 kg)




PAC735A/B/C Secure Storage Cabinet

- Secure storage option for rack mount equipment, PCs, codecs, and other large AV equipment
- Supports 19" (483 mm) wide rack mount equipment (up to 4 RU)
- Up to 3 units can be stacked vertically and bolted together (starting at base of cart/stand)
- Max equipment size: (HxWxD) 9" x 19" x 19" (229 x 483 x 483 mm)
- Weight Capacity: 40 lbs (18.1 kg)



PAC780/782/784 Height Assist Accessory

- Helps to neutralize the weight of displays for easier height adjustment
- Can be added to the MFC/PFC/MF1/PF1 carts and stands
- Travel distance: up to 32" (813 mm)
- PAC780 Weight Capacity: 50-75 lbs (22.7-34 kg)
- PAC782 Weight Capacity: 75-100 lbs (34-45.4 kg)
- PAC784 Weight Capacity: 100-125 lbs (45.4-56.7 kg)




PAC775 Cart Outdoor Casters

- Helps to reduce vibration transmitted to equipment
- Weight Capacity: 200 lbs (90.7 kg)



KFA220 Dual Monitor Cart/Stand Accessory

- Accessory supports 2 monitors (up to 22.7" / 577 mm wide) side-by-side
- Two brackets included to attach multiple monitors to the cart





CART & STAND ACCESSORIES cont.

KFA225 Widescreen Dual Monitor Cart/Stand Accessory

- Accessory supports 2 widescreen monitors screens (up to 30" / 762 mm wide) side-by-side
- Two brackets included to attach multiple monitors to the cart



KFA320 Triple Monitor Cart/Stand Accessory

- Accessory supports three monitors (up to 18" / 457 mm wide) side-by-side



KFA325 Widescreen Triple Monitor Cart/Stand Accessory

- Accessory supports three widescreen monitors (up to 25" / 635 mm wide) side-by-side



INSTALLATION ACCESSORIES


PACLK1 FIT™ Series Cable Lock Accessory

- Perfect security accessory for FIT low-profile mounts
- Includes keyed padlock



MAC230 Aesthetic Ceiling Mount Accessory

- Aesthetic cover conceals cables and media adapters for a clean look
- Compatible with MCSU Universal Ceiling Mount



AUTOMATED INSTALLATION ACCESSORIES

IR10 Infrared Remote Control

- Can be used to control the SL151, SL236, CM1W18, CM2C40, and CM2L40



RC10 RF Remote Control

- Can be used to control the SL151, SL236, CM2L40 and CM2C40



ASP401 Individual Control System

- Allows up/down intermediate break by rocker switch



AUTOMATED INSTALLATION ACCESSORIES

SS10 Pressure-Sensitive Safety Strip

- Use with ST15 Terminals to provide added safety mechanism to lift products

ST15 5" Safety Strip Terminals

- Use with SS10 Pressure-Sensitive Safety Strip to provide added safety mechanism to lift products