



IN-WALL ROTR ■ PULL-OUT ROTATING RACK

raXess series



FEATURES

- 1 INNOVATIVE DESIGN**
Easily pull out of existing or new cabinets and rotate a full 90° to make installation, wiring and maintenance a breeze.
- 2 HEAVY-DUTY STEEL CONSTRUCTION**
16-gauge steel frame. ROTR and ROTR-XL hold 300 lbs (136 kg).
- 3 CABLE MANAGEMENT**
Includes integrated cable management system with 7U rear rack rail.
- FINISH OPTION**
Black Wrinkle Powder Coat ■

ORDERING OPTIONS

Model	Rack Height	Overall Depth (A)	Usable Depth (B)	Height (C)	Power Option
ROTR-8	8 space	18.9" (480 mm)	18.4" (467 mm)	17.5" (445 mm)	NAPDH11
ROTR-9	9 space	18.9" (480 mm)	18.4" (467 mm)	19.3" (489 mm)	NAPDH11
ROTR-10	10 space	18.9" (480 mm)	18.4" (467 mm)	21" (533 mm)	NAPDH11
ROTR-11	11 space	18.9" (480 mm)	18.4" (467 mm)	22.8" (578 mm)	NAPDH11
ROTR-12	12 space	18.9" (480 mm)	18.4" (467 mm)	24.5" (622 mm)	NAPDH11
ROTR-13	13 space	18.9" (480 mm)	18.4" (467 mm)	26.3" (667 mm)	NAPDH11
ROTR-14	14 space	18.9" (480 mm)	18.4" (467 mm)	28" (711 mm)	NAPDH11
ROTR-15	15 space	18.9" (480 mm)	18.4" (467 mm)	29.8" (756 mm)	NAPDH11
ROTR-16	16 space	18.9" (480 mm)	18.4" (467 mm)	31.5" (800 mm)	NAPDH11
ROTR-17	17 space	18.9" (480 mm)	18.4" (467 mm)	33.3" (845 mm)	NAPDH11
ROTR-18	18 space	18.9" (480 mm)	18.4" (467 mm)	35" (889 mm)	NAPDH11
ROTR-19	19 space	18.9" (480 mm)	18.4" (467 mm)	36.8" (934 mm)	NAPDH11

RECOMMENDED ACCESSORIES




ROTRS ■ Component Shelf



NAPDH11 ■ Rack Mount Power Distribution

TECHNICAL DRAWINGS



For a complete list of rack accessories see page 174.



Cont. ORDERING OPTIONS


Model	Rack Height	Overall Depth (A)	Usable Depth (B)	Height (C)	Power Option
ROTR-20	20 space	18.9" (480 mm)	18.4" (467 mm)	38.5" (978 mm)	NAPDH11
ROTR-21	21 space	18.9" (480 mm)	18.4" (467 mm)	40.3" (102.2 cm)	NAPDH11
ROTR-22	22 space	18.9" (480 mm)	18.4" (467 mm)	42" (106.7 cm)	NAPDH11
ROTR-23	23 space	18.9" (480 mm)	18.4" (467 mm)	43.8" (111.1 cm)	NAPDH11
ROTR-24	24 space	18.9" (480 mm)	18.4" (467 mm)	45.5" (115.6 cm)	NAPDH11
ROTR-XL-8	8 space	22.9" (582 mm)	18.4" (467 mm)	17.5" (445 mm)	NAPDH11
ROTR-XL-9	9 space	22.9" (582 mm)	18.4" (467 mm)	19.3" (489 mm)	NAPDH11
ROTR-XL-10	10 space	22.9" (582 mm)	18.4" (467 mm)	21" (533 mm)	NAPDH11
ROTR-XL-11	11 space	22.9" (582 mm)	18.4" (467 mm)	22.8" (578 mm)	NAPDH11
ROTR-XL-12	12 space	22.9" (582 mm)	18.4" (467 mm)	24.5" (622 mm)	NAPDH11
ROTR-XL-13	13 space	22.9" (582 mm)	18.4" (467 mm)	26.3" (667 mm)	NAPDH11
ROTR-XL-14	14 space	22.9" (582 mm)	18.4" (467 mm)	28" (711 mm)	NAPDH11
ROTR-XL-15	15 space	22.9" (582 mm)	18.4" (467 mm)	29.8" (756 mm)	NAPDH11
ROTR-XL-16	16 space	22.9" (582 mm)	18.4" (467 mm)	31.5" (800 mm)	NAPDH11
ROTR-XL-17	17 space	22.9" (582 mm)	18.4" (467 mm)	33.3" (845 mm)	NAPDH11
ROTR-XL-18	18 space	22.9" (582 mm)	18.4" (467 mm)	35" (889 mm)	NAPDH11
ROTR-XL-19	19 space	22.9" (582 mm)	18.4" (467 mm)	36.8" (934 mm)	NAPDH11
ROTR-XL-20	20 space	22.9" (582 mm)	18.4" (467 mm)	38.5" (978 mm)	NAPDH11
ROTR-XL-21	21 space	22.9" (582 mm)	18.4" (467 mm)	40.3" (102.2 cm)	NAPDH11
ROTR-XL-22	22 space	22.9" (582 mm)	18.4" (467 mm)	42" (106.7 cm)	NAPDH11
ROTR-XL-23	23 space	22.9" (582 mm)	18.4" (467 mm)	43.8" (111.1 cm)	NAPDH11
ROTR-XL-24	24 space	22.9" (582 mm)	18.4" (467 mm)	45.5" (115.6 cm)	NAPDH11

Note: Rack rails ship separately - assembly required.



IN-WALL ROTR-HD ■ PULL-OUT ROTATING RACK

raXess series



FEATURES

- 1 INNOVATIVE DESIGN**
Easily pull out of existing or new cabinets and rotate a full 90° to make installation, wiring and maintenance a breeze. No extra tracks are required to pull it out for service.
- 2 VENTILATION PANEL**
Top built-in fan panel holds up to 4 fans.
- 3 HEAVY-DUTY STEEL CONSTRUCTION**
16-gauge steel frame. ROTR-HD holds 650 lbs (295 kg).
- 4 CABLE MANAGEMENT**
Includes integrated cable management system.
- FINISH OPTION**
Black Wrinkle Powder Coat ■


ORDERING OPTIONS

Model	Rack Height	Overall Depth (A)	Usable Depth (B)	Height (C)	Power Options
ROTR-HD-24	24 spaces	23.5" (597 mm)	18.5" (470 mm)	48.4" (122.9 cm)	NAPDH11
ROTR-HD-25	25 space	23.5" (597 mm)	18.5" (470 mm)	50.1" (127.3 cm)	NAPDH11
ROTR-HD-26	26 space	23.5" (597 mm)	18.5" (470 mm)	51.9" (131.8 cm)	NAPDH11
ROTR-HD-27	27 space	23.5" (597 mm)	18.5" (470 mm)	53.6" (136.1 cm)	NAPDH11
ROTR-HD-28	28 space	23.5" (597 mm)	18.5" (470 mm)	55.4" (140.7 cm)	NAPDH11
ROTR-HD-29	29 space	23.5" (597 mm)	18.5" (470 mm)	57.1" (145 cm)	NAPDH11
ROTR-HD-30	30 space	23.5" (597 mm)	18.5" (470 mm)	58.9" (149.6 cm)	NAPDH11
ROTR-HD-31	31 space	23.5" (597 mm)	18.5" (470 mm)	60.6" (154 cm)	NAPDH11
ROTR-HD-32	32 space	23.5" (597 mm)	18.5" (470 mm)	62.4" (158.5 cm)	NAPDH11
ROTR-HD-33	33 space	23.5" (597 mm)	18.5" (470 mm)	64.1" (162.8 cm)	NAPDH11

RECOMMENDED ACCESSORIES




NAXS15 ■ SurgeX Surge Protector



NAPDH11 ■ Rack Mount Power Distribution

TECHNICAL DRAWINGS



For a complete list of rack accessories see page 168.



Cont. ORDERING OPTIONS

Model	Rack Height	Overall Depth (A)	Usable Depth (B)	Height (C)	Power Option
ROTR-HD-34	34 space	23.5" (597 mm)	18.5" (470 mm)	65.9" (167.4 cm)	NAPDH11
ROTR-HD-35	35 space	23.5" (597 mm)	18.5" (470 mm)	67.6" (171.7 cm)	NAPDH11
ROTR-HD-36	36 space	23.5" (597 mm)	18.5" (470 mm)	69.4" (1724 cm)	NAPDH11
ROTR-HD-37	37 space	23.5" (597 mm)	18.5" (470 mm)	71.1" (176.3 cm)	NAPDH11
ROTR-HD-38	38 space	23.5" (597 mm)	18.5" (470 mm)	72.9" (185.2 cm)	NAPDH11
ROTR-HD-39	39 space	23.5" (597 mm)	18.5" (470 mm)	74.6" (189.5 cm)	NAPDH11
ROTR-HD-40	40 space	23.5" (597 mm)	18.5" (470 mm)	76.4" (194.4 cm)	NAPDH11
ROTR-HD-41	41 space	23.5" (597 mm)	18.5" (470 mm)	78.1" (198.4 cm)	NAPDH11
ROTR-HD-42	42 space	23.5" (597 mm)	18.5" (470 mm)	79.9" (202.9 cm)	NAPDH11
ROTR-HD-43	43 space	23.5" (597 mm)	18.5" (470 mm)	81.6" (207.3 cm)	NAPDH11
ROTR-HD-44	44 space	23.5" (597 mm)	18.5" (470 mm)	83.4" (211.8 cm)	NAPDH11

Note: Rack rails ship separately - assembly required.