This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual

This outlet not to be used for plenum rated installations

See Instruction Manual