


CHIEF MANUFACTURING INC.
 MOUNT ORDER NUMBER IS DGC-42
 PHONE: 1-800-582-6480

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF CHIEF MFG., INC. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF CHIEF MFG., INC.

SHEET SCALE = 1:10

 CHIEF MANUFACTURING, INC. <small>8401 EAGLE CREEK PKWY STE. 700, SAVAGE, MN 55378 1.800.582.6480 * FAX 1.877.894.6918</small>	
TITLE CUSTOMER PRINT DGC-42	
SIZE B	DWG. NO. DGC-42

Specifications:

Welded steel rear panel and display positioning brackets, painted black, include fixed wall mounting capability and are spaced to allow cooling from rear mounted fan assemblies (2 fans included).

Aluminum and tempered glass front cover assembly is standard, providing reduced weight and is removable for easier installation. (Polycarbonate window option*)

Front cover, with textured black powder paint finish as standard, includes "gas spring" lift assist, key locking latches, and complete gasket seal to rear panel when closed.

Two 100 CFM filtered fan assemblies, provide airflow, positive internal pressure, and heat exhaust at top filtered exits.

Split panel cable access allows multiple video and speaker connections through its adjustable dust tight seal.

Multi-outlet power strip is provided with 10 foot oil resistant cord connected through a separate cord grip and allows 120 VAC, 15 amp service. (Fan systems use two outlets)


Enclosure can be rotated to support display in "PORTRAIT" orientation at enclosure installation.

Additional requirement*:

Display model specific "mount" required for installation to viewstation support bracket. (ref Chief model PSB-xxxx)

Options:

- IR receiver/distribution kit
- Polycarbonate window (*must be specified at purchase)
- Post assembly, support
- Suspension assembly, support



*Mount adapter required between display and enclosure support brackets. (Order separately, by display model number)



CHIEF MANUFACTURING INC.
MOUNT ORDER NUMBER IS DGI-42
PHONE: 1-800-582-6480


SHEET SCALE = 1:10

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF CHIEF MFG., INC. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF CHIEF MFG., INC.

CHIEF MANUFACTURING, INC.
8401 EAGLE CREEK PKWY STE. 700, SAVAGE, MN 55378
1.800.582.6480 * FAX 1.877.894.6918

TITLE
CUSTOMER PRINT
DGI-42

SEE DWG. NO.
B DGI-42



Mount depth is minimum recommended space requirement to allow air flow to the rear mounted fan assemblies



CHIEF MANUFACTURING INC.
 MOUNT ORDER NUMBER IS DGI-42
 PHONE: 1-800-582-6480

SHEET SCALE = 1:10

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF CHIEF MFG., INC. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF CHIEF MFG., INC.

CHIEF MANUFACTURING, INC.
 8401 EAGLE CREEK PKWY STE. 700, SAVAGE, MN 55378
 1.800.582.6480 * FAX 1.877.894.6918

TITLE
CUSTOMER PRINT
DGI-42

SEE DWG. NO.
B DGI-42